
No.



8500152

## THE UNKLED STAYIES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

## Pioneer Hi-Bred International, Inc.

Williereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW THE SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE THILE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT FARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, TELS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE STOCKSSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF CLICATE OF THE PAYMENT OF THE RECURRED FLES AND TERMODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT TY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

CORN

'PHG83'

En Testimony Waterest, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 28th day of February in the year of our Lord one thousand nine hundred and eighty-six.

April 1 -0 al

Plant Variety Protection Office Agricultural Marketina Service

					APPROVAL EXPINED 4-50-65			
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE  APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE  (Instructions on reverse)					FORM APPROVED: OMB NO. 0681-0055 Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).			
Pioneer Hi-Bred International,	Inc.			i	HG83			
4. ADDRESS (Street and No. or R.F.D. No., City, State Plant Breeding Division Department of Corn Breeding	÷		(Include area code	PVP	FOR OFFICIAL USE ONLY O NUMBER 8500152			
PO Box 85, Johnston, IA 50131		<u> </u>			DATE			
6. GENUS AND SPECIES NAME Zea mays	7. FAMILY NA			FILING	5/21/85 TIME 2:30 □ A.M. ▼ P.M.			
8. KIND NAME	9.	DATE OF	DETERMINATION	,	AMOUNT FOR FILING			
Corn		1982		RECEIVED	\$ _1.800			
10. IF THE APPLICANT NAMED IS NOT A "PERSO	N." GIVE FORM	OF ORGA	NIZATION (Corpo		AMOUNT FOR CERTIFICATE			
partnership, association, etc.)  Corporation				FEES	\$			
11. IF INCORPORATED, GIVE STATE OF INCORPO	MOLTAR			12.	DATE OF INCORPORATION			
Iowa				i	May 6, 1926			
Plant Breeding Division PO Box 85, Johnston, IA 50131  14 CHECK APPROPRIATE BOX FOR EACH ATTAGA  a. Exhibit A, Origin and Breeding History of Box Exhibit B, Novelty Statement.  c. Exhibit C, Objective Description of Variety Box Exhibit D, Additional Description of Variety Exhibit E, Statement of the Basis of Appl 15. DOES THE APPLICANT(S) SPECIFY THAT SEE	THMENT SUBMITHE VARIETY (Section 1) the Variety (Section 1) to the Variety (Request form 1) to	e Section 5 1 from Plan 1p.	t Variety Protectio	ety Protecti n Office.)	on Act.)			
SEED? (See Section 83(a) of the Plant Variety Pro	otection Act.)		Yes (If "Yes," a	nswer items	16 and 17 below) X No			
16. DOES THE APPLICANT(S) SPECIFY THAT THE LIMITED AS TO NUMBER OF GENERATIONS?	S VARIETY BE	17.	BEYOND BREED		The Constitution of the Co			
☐ Yes ☐ No		.   [	Foundation		Registered Certified			
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTECT	ION OF T	HE VARIETY IN	THE U.S.?	Yes (If "Yes," give date,			
					X No			
19. HAS THE VARIETY BEEN RELEASED, OFFE	RED FOR SALE	OR MAR	KETED IN THE U	S. OR OT	HER COUNTRIES ?  Yes (If "Yes," give name of countries and dates)			
					X No			
20. The applicant(s) declare(s) that a viable samplenished upon request in accordance with s	ple of basic seed uch regulations	ds of this as may be	variety will be fur applicable.	nished wit	h the application and will be re-			
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in S Variety Protection Act.	ner(s) of this se	xually rep	roduced novel pl	ant variety der the pro	, and believe(s) that the variety is ovisions of Section 42 of the Plant			
Applicant(s) is (are) informed that false repr	esentation here	in can jeo	pardize protectio	n and resu	lt in penalties.			
SIGNATURE OF APPLICANT			···		DATE			
Pioneer Hi-Bred Internationa by:	1, Inc.	-						
SIGNATURE OF APPLICANT					DATE			
O. A. O. S. M. O. O.					May 13, 1985			
FORM WA-470 (7-84) (Edition of 3-84 is obsolete.	) 1							

CORN

'PHG83'

14A. Exhibit A. Origin and Breeding History

Pedigree: 814/207) X44XXXX

Pioneer line 'PHG83', Zea mays L., a yellow dent corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross 814 x 207 using the pedigree method of breeding. progenitors of PHG83 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing and selection were practiced within the above cross for seven generations in the development of The inbred line was developed at Middletown, Delaware, with the Fl and F3 generations grown at Homestead, Florida. original cross, 814/207, was made at the Pioneer Corn Research Station at Tipton, Indiana. During line development, the F4 generation was crossed to two inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Middletown, Delaware, in 1978 and 1979. Additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations made for uniformity.

PHG83 has shown uniformity and stability for all traits as described in Exhibit C (form LPGS-470-28) - "Objective Description of Variety." It has been self-pollinated and ear-rowed a sufficient number of generations with careful attention paid to uniformity of plant type to assure genetic homozygosity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity.

No variant traits have been observed or are expected in PHG83.

14B. Exhibit B. Novelty Statement

'PHG83' is most similar to the Pioneer inbred line 207. PHG83 sheds pollen and silks approximately 140 and 120 heat units, respectively, later than 207. PHG83 has green glumes and green silks while 207 has red glumes and red silk.

EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY, GRAIN & SEED DIVISION BELTSVILLE, MARYLAND 20705

## OBJECTIVE DESCRIPTION OF VARIETY CORN (ZEA MAYS)

NAME OF APPLICANT(S)	FOR OFFICIAL USE ONLY			
Pioneer Hi-Bred International, Inc.	PYPO NUMBER			
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	8500152			
Plant Breeding Division Department of Corn Breeding	VARIETY NAME OR TEMPORARY DESIGNATION			
PO Box 85				
Johnston, IA 50131-0085	PHG83			
Place the appropriate number that describes the varietal character of this variety in the Place a zero in first box (e.s. 0 8 9 or 0 9 ) when number is either 99 or less or	boxes below. 9 or less.			
1. TYPE:				
2 1 = SWEET 2 = DENT 3 = FLINT 4 = FLOUR 5 = P	OP 6 = ORNAMENTAL			
2. REGION WHERE BEST ADAPTED IN THE U.S.A.:				
3 1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORTHEAST 5 = SOUTHCENTRAL 6 = SOUTHWEST 7 = MOST REGIONS	4 * SOUTHEAST			
	comments" (pg. 3) state how			
	ts were calculated)  5 0 HEAT UNITS			
7 0 DAYS FROM EMERGENCE TO 50% OF PLANTS IN SILK	5 0 HEAT UNITS			
DAYS FROM 50% SILK TO OPTIMUM EDIBLE QUALITY	HEAT UNITS			
DAYS FROM 50% SILK TO HARVEST AT 25% KERNEL MOISTURE	HEAT UNITS			
4. PLANT:				
2 2 7 CM. HEIGHT (To tassel tip)	9 2 CM. EAR HEIGHT (To base of top ear			
0 9 CM. LENGTH OF TOP EAR INTERNODE	<del>-</del>			
Number of Tillers: Number of Ears Per Stalk	:			
1]	- CLACUT TIMO EAR TEMPENCY			
	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY			
Cytoplasm Type:				
I 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER	(Specify)			
5. LEAF (Field Corn Inbred Examples Given):				
Color:				
1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRE	EEN (B14) 4 = VERY DARK GREEN (K16			
Angle from Stalk (Upper half): Sheath Pubscence:				
2 1=<30° 2=30-60° 3=>60° 1 1=LIGHT	(W22) 2 = MEDIUM (WF9)			
3 = HEAVY	the state of the s			
Marginal Waves: Longitudinal Creeses:				
1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 2 1 = ABSEN				
Width: Length:	rati)			
1 0 CM. WIDEST POINT OF EAR NODE LEAF 0 8 2 CM. E.	AR NODE LEAF			
1 8 NUMBER OF LEAVES PER MATURE PLANT				

			<u> </u>					
(	6. TASSEL:							
	10	NUMBER OF	LATERAL BRANC	HES		•		
	Branch Ang	ile from Central S	Spike:		Penduncie Ler	ngth;		
	3	1 = < 309	2 = 30-40°	3 = > 45°	2 6	า	TOP LEAF TO BASA	L BRANCHES
	Pollen Shed	):					•	
	3							
	ر ا	1 = LIGHT (W	F9) 2	2 = MEDIUM	3 = HE	AVY(KY21)		
÷	3	(R	eddish purpl	.e) 2 = PIN	IK 3≖	RED 4	= PU <b>RP</b> LE	5 = GREEN
	5	Glume Color:	7	pecify)				o directo
		oration for Cytor	plasms (o = Not Test	ed, 1 = Partial, 2 = G	iood)			
		[67]	וה					* ·
	[U] "T"	U	"s"	'c''	OTHER (Specify	Cytoplasm and dec	grees of restoration) _	
	7. EAR (Husi	ked Ear Data Exc	ept When Stated Ot	herwise):				· · · · · · · · · · · · · · · · · · ·
	1 8	CM LENGTH	4 2 MM.	MID-POINT METER	1 3	7 GM. WEIGH	<b>нт</b>	
	Kernel Row	s:						
	2	1 = INDISTINO	CT 2 = 1	DISTINCT	1	4 NUMBER		
	_	÷						
		1 = STRAIGHT	2 = SLIC	SHTLY CURVED	3 = SPI	RAL		
	Silk Color (E	Exposed at Silkin	g Stage):					
		4 005511					* * *	•
	لثا	1 = GREEN	2 = PINK	3 = SALMO	)N 4	= RED		•
	Husk Color:			•	·		÷	4
	2	FRESH	1 = LIGHT	GREEN	2 = DARK	GREEN	3 = PINK	
	6	DRY	4 = RED	5 = F	URPLE	6 = 8UFF	•	
	Husk Extent	ion: (Harvest St	nge)	•	Husk Leaf:			
•	<u> </u> 4 3 = L0	IORT (Ears Expo ING (8-10CM B IRY LONG (> 1	eyond Ear Tip)	(Barely Covering Ear		1 = SHORT ( < 3 = LONG ( >	,	JM (8-15 CM)
	Shank:	20.10 () (	o can,		Position at Dry	Husk Stage:		
	2 9	CM LONG	9 NO. OF INT	ERNODES	3	1 = UPRIGHT	2 = HORIZONTA	L 3 = PENDENT
	Taper:				Drying Time (U	Inhusked Earl:		
	2	1 = SLIGHT	2 = AVERAGE	3 = EXTREME		1 = SLOW	2 = AVERAGE	3 = FAST
8.	KERNEL (D							
		ar Mid-Point):		<u></u>				
	1 0 Shape Grade	MM LONG	0 9	MM. WIDE	0 4 MM.	ТНІСК		
	· · · · · · · · · · · · · · · · · · ·							
	2	1 = < 20	2 = 20-40	3 = 4060	4 = 6	0-80	6 = > 80	

o KENME	L (Dries) :					OFAAAR-			
1		1 = COLORLESS 5 = BROWN			3 = TAN 7 = CHERRY RED	8500152			
		8 - VARIEGATED	(Describe)		<del></del>				
1	Aleurone Color:	1 = HOMOZYGOUS	2 = S	EGREGATING (Describe)_					
	1 = WHITE	2 = PINK	3 = TAN	4 = BROWN	F	- BRONZE 6 = RED			
	7 = PURPLE			ARIEGATED (Describe)	3	- BRONZE 6 = RED			
3	Endosperm Color:		2 = PALE YELLO		4 = PINK-ORANG	GE 5 = WHITE CAP.			
Padasas	<b>T</b>								
Endosper	• •	2 - 5 - 5	A CHARTET (-LO)			•			
3	1 = SWEET (su1) 5 = WAXY STARCH			3 = NORMAL STA 7 = HIGH LYSINE		GH AMYLOSE STARCH HER (Specify)			
			· · · · · · · · · · · · · · · · · · ·	7 - AIGH LYSINE					
2 7	GM. WEIGHT /100 S	EEDS (Unsized Sam	p(e)						
9. <b>COB</b> :	MM. DIAMETER AT	MID-POINT							
Strength:	:			Color:					
2	1 = WEAK	2 = STRONG	÷	3 1 = WHITE 2 =	PINK 3 = RED 6 OTHER	4 = BROWN			
10. DISEASI	RESISTANCE (O = 1	Not Tested, 1 = Susc	eptible, 2 = Resiste	NAX					
2		1	Tole						
	STALK ROT (Diploc	lia) [	STALK ROT	(Fuserium)	STAL	K ROT (Gibberella)			
2	NORTHERN LEAF	BLIGHT [	2 SOUTHERN	LEAF BLIGHT	1 smut	r (Common)			
<u> </u>	SOUTHERN RUST		1 CORN SMUT	(Head)	2 васт	ERIAL WILT (Stewart's			
2	BACTERIAL LEAF	выснт [	Q MAIZE DWA	REMOSAIC	0 STUN	ІТ			
	(GOSS ) OTHER (Specify)	_			لئا				
11. INSECT	RESISTANCT (O = No	ot Tested. 1 = Suscen	tible 2 = Resistant	1:					
				,					
	CORNBORER	O EAR	WORM	0 SAPE	BEETLE	0 APHID			
0	ROOTWORM (North	urn) 1 ROC	TWORM (Western	)	* * * * * * * * * * * * * * * * * * * *				
0	ROOTWORM (South	егп) СТН	ER (Specify)		· · · · · · · · · · · · · · · · · · ·				
12. VARIETI	ES MOST CLOSELY F	RESEMBLING THA	SUBMITTED FO	R THE CHARACTERS GIV	VEN:				
CHARAC	TER	<del></del>	ARIETY	CHARACTER	·	VARIETY			
Maturity Plant Type		20		Kernel Type	· · · · · · · · · · · · · · · · · · ·	207			
Ear Type		20		Quality (Edible) Usage	)	207			
DEEEDEA	IOEC.	,	······························	<del></del>					
REFEREN	ices: U.S. Department Agric	culture. Yearbook 19	937.						
	Corn: Culture, Processing, Products. 1970 Avi Publishing Company, Westport, Connecticut. (Numerous (Authors)								
	Emerson, R.A., G.W. Beadle, and A.C. Fraser. A Summary of Linkage Studies in Malze, Cornell A.E.S., Mem. 180, 1935.								
	The Mutants of Maize. 1968. Crop Science Society of America. Madison, Wisconsin. Stringfield, G.H. Maize Inbred Lines of Ohio. Ohio A.E.S. Bul. 831. 1959.								
				i. 831. 1959. Inbred Lines — PhD. Thesis,	Ohio State Heisser	·			
	rs: Heat units	are accumul	ated from d	oils tomposetus					
	HI = Maxim LO = Minim Heat Units	um air tempe um air tempe = (HI + LO)	rature in F. rature in F. 72 - 50, bu	aily temperature ahrenheit, but no ahrenheit but no t not less than	s as tollows ot greater t ot less than 0.	; han 86. 50.			

14D. Exhibit D. Additional Description of 'PHG83'

'PHG83' is a yellow dent inbred line of corn, Zea mays.

As an inbred per se, PHG83 is similar to the Pioneer inbred 207. However, there are some distinguishable differences between the two inbreds as stated in Exhibit B. Other differences include: PHG83 is softer textured and has poorer grain quality; PHG83 is bigger eared and yields more per se; PHG83 is taller and higher eared; PHG83 has larger kernels (PHG83 has 1,579 kernels per pound versus 2,080 kernels per pound for 207); PHG83 has a larger tassel and sheds more pollen; PHG83 has lower test weight; and PHG83 has better disease tolerance than 207 to Southern corn leaf blight (Helminthosporium maydis), Northern corn leaf blight (Helminthosporium turcicum), common rust (Puccinia sorghi), and Stewart's bacterial wilt (Erwinia stewartii).


For comparitive purposes, data are attached with comparisons of PHG83 to Pioneer inbred line 207 (crossed to the same tester line and evaluated in the same locations).

		The state of the s				
w						
ybrid <b>of</b> ed to						
the h rcent djust		Ear Height	9	106	96	10
as pe		Plant Height	9	102	97	5
ssed els/a		Seedling Vigor	9	96	79	18
ΨOU						
a. a.		Grain Quality	8	88	100	12
the salues		Test Weight	8	96	66	18 5
son of PHG83 and 207 crossed to the same tester line and at the same locations. All values are expressed as t mean except yield, which is expressed as bushels/acrrain moisture (1983 data).	Stay Green	7	89	80	6	
rosse ns. hich ta).		Ears/Plot	7	106	101	5
T		Root Lodging	8	102	06	207         116         100         97         98         101         90         101         80         99         100         79         97           .         9         7         3         2         1         12         5         9         3         12         18         5
and lo		Stalk Lodging	8	100	101	
Exhibit D. Comparison of PHG83 and 207 crossed to the same te evaluated at the same locations. All values are e the test mean except yield, which is expressed as 15.5% grain moisture (1983 data).  In the test mean except yield, which is expressed as 15.5% grain moisture (1983 data).  Stalk Lodging Shed GDU Shed GDU Stalk Lodging Stalk Lodging Stalk Stalk Stalk Got Lodging Stalk Sta	100	86	2			
Exhibit D. Comparison of PHG83 and 207 crossed to the same to evaluated at the same locations. All values are the test mean except yield, which is expressed as 15.5% grain moisture (1983 data).  The test mean except yield, which is expressed as 15.5% grain moisture (1983 data).  Stain moisture (1983 data).  Stain moisture (1983 data).  Stain Modeling  Fercent Yield  Forcent Yield  Stain Lodging  Forcent Yield  Stain Moisture (1983 data).  Frest Weight  Forcent Yield  Stain Moisture (1983 data).  Stain Moisture (1984 data).  Stain Mo		. 3				
ariso uated test % gra		Percent Yield	8	107	100	7
Comp eval the 15.5		Yield	8	125	116	6
thibit D.	_	Inbred		PHG83	207	
			No. of Reps.			Diff.

Zatoose


14D. Exhibit D. Additional Description of PHG83 (coninued).


a. Whole plant



14D. Exhibit D. Additional Description of PHG83 (coninued).

b. Tassel





14D. Exhibit D. Additional Description of PHG83 (continued).

c. Ear



14E. Exhibit E. Statement of the Basis of Applicant's Ownership

Pioneer Hi-Bred International, Inc., Des Moines, Iowa, is the employer of the plant breeders involved in the development and evaluation of 'PHG83'. Pioneer Hi-Bred International, Inc. has the sole rights and ownership of 'PHG83'.